


Belt Cleaning System Size Information

Eraser™ Primary Belt Cleaning System



The Eraser Primary Belt Cleaners are available in a vast array of different sizes to suit all belt widths.

The list below indicates dimensions **only for the most popular belt widths**.

Please contact Kinder Australia for dimensions on the extensive range of other sizes suitable for your specific belt width.

Belt Width	Part Number	A		Min B		Max B		Min. C		Max C	
		Inches	(mm)	Inches	(mm)	Inches	(mm)	Inches	(mm)	Inches	(mm)
600	CP-REA20M-G83	20	(508)	21	(533)	36	((914)	0.50	(13)	8	(203)
750	CP-REA26M-G83	26	(660)	26.50	(673)	42	(1067)	0.25	(6)	8	(203)
900	CP-REA32M-G83	32	(813)	32.50	(826)	48	(1219)	0.25	(6)	8	(203)
1000/1050	CP-REA36M-G83	36	(914)	36.50	(927)	52	(1321)	0.25	(6)	8	(203)
1200	CP-REA44M-G83	44	(1118)	44.50	(1130)	60	(1524)	0.25	(6)	8	(203)

NOTES:

- To get minimum B or C, the shaft collars must be removed.
- For extended tensioner; add 14" (356 mm) to B max. and 7" (178 mm) to C max.
- Standard "in stock" sizes shown above. Other sizes are available from 16" (406 mm) to 120" (3048 mm).



<https://kinder.com.au>

Subject to © Kinder Australia Pty Ltd
Issue: 202102

Kinder Australia Pty Ltd


26 Canterbury Road, Braeside VIC 3195
PO Box 1026, Braeside VIC 3195

☎ +61 3 8587 9111
☎ +61 3 8587 9101

✉ conveyorsolutions@kinder.com.au
ABN: 28 006 489 238

Belt Cleaning System Size Information

Eraser HD Primary Belt Cleaning System



The Eraser HD Primary Belt Cleaners are available in a vast array of different sizes to suit all belt widths.

The list below indicates dimensions **only for the most popular belt widths**.

Please contact Kinder Australia for dimensions on the extensive range of other sizes suitable for your specific belt width.

PART NUMBER	A		Min B		Max B		Min C		Max C	
	inches	(mm)	inches	(mm)	inches	(mm)	inches	(mm)	inches	(mm)
CP-ET2A-16M-G83	12.00	(309)	25.00	(635)	33.00	(838)	4.50	(114)	8.00	(203)
CP-ET3A-22M-G83	18.00	(457)	22.50	(572)	39.99	(991)	0.25	(6)	8.00	(203)
CP-ET4A-28M-G83	24.00	(610)	28.50	(724)	45.00	(1143)	0.25	(6)	8.00	(203)
CP-ET5A-34M-G83	30.00	(762)	34.50	(876)	51.00	(1295)	0.25	(6)	8.00	(203)
CP-ET6A-40M-G83	36.00	(914)	40.50	(1029)	57.00	(1448)	0.25	(6)	8.00	(203)
CP-ET7A-46M-G83	42.00	(1067)	46.50	(1181)	63.00	(1600)	0.25	(6)	8.00	(203)
CP-ET8A-52M-G83	48.00	(1219)	52.50	(1334)	69.00	(1735)	0.25	(6)	8.00	(203)
CP-ET9A-58M-G83	54.00	(1372)	58.50	(1486)	75.00	(1905)	0.25	(6)	8.00	(203)

Notes:
To get minimum B or C, the shaft collars must be removed.
For extended tensioner, add 14" (356 mm) to B max. and 7" (178 mm) to C max.
Standard sizes shown above. Other sizes are available from 16" (406 mm) to 100" (2540 mm).
Mainframes come standard 4" (102 mm) longer than blade length.



Kinder Australia Pty Ltd

26 Canterbury Road, Braeside VIC 3195
PO Box 1026, Braeside VIC 3195

☎ +61 3 8587 9111
✉ +61 3 8587 9101


✉ conveyorsolutions@kinder.com.au
ABN: 28 006 489 238

<https://kinder.com.au>

Subject to © Kinder Australia Pty Ltd
Issue: 202102

Belt Cleaning System Size Information

Eraser SHD Primary Belt Cleaning System



The Eraser SHD Primary Belt Cleaners are available in a vast array of different sizes to suit all belt widths.

The list below indicates dimensions **only for the most popular belt widths**.

Please contact Kinder Australia for dimensions on the extensive range of other sizes suitable for your specific belt width.

Part Number	A		Min B		Max B		Min C		Max C		Weight (kgs)
	inches	mm	inches	mm	inches	mm	inches	mm	inches	mm	
CP-SHD-4A30D	24.00	610	50.00	1270	58.00	1474	10.00	254	14.00	356	62
CP-SHD-5A36D	30.00	762	50.00	1270	64.00	1626	7.00	178	14.00	356	67
CP-SHD-6A42D	36.00	915	50.00	1270	70.00	1778	1.00	102	14.00	356	73
CP-SHD-7A48D	42.00	1067	50.00	1270	76.00	1931	0.25	7	14.00	356	78
CP-SHD-8A54D	48.00	1220	54.50	1385	82.00	2083	0.25	7	14.00	356	83
CP-SHD-9A60D	54.00	1372	60.50	1537	88.00	2236	0.25	7	14.00	356	89
CP-SHD-11A72D	66.00	1677	72.50	1842	100.00	2540	0.25	7	14.00	356	100
CP-SHD-13A242D	78.00	1982	84.50	2147	108.00	2744	0.25	7	12.00	305	110
CP-SHD-15A248D	90.00	2286	96.50	2451	120.00	3048	0.25	7	12.00	305	121
CP-SHD-17A254D	102.00	2591	108.50	2756	132.00	3353	0.25	7	12.00	305	131
CP-SHD-19A260D	114.00	2896	120.50	3061	144.00	3658	0.25	7	12.00	305	105



<https://kinder.com.au>

Subject to © Kinder Australia Pty Ltd
Issue: 202102

Kinder Australia Pty Ltd


26 Canterbury Road, Braeside VIC 3195
PO Box 1026, Braeside VIC 3195

☎ +61 3 8587 9111
☎ +61 3 8587 9101

✉ conveyorsolutions@kinder.com.au
ABN: 28 006 489 238

Belt Cleaning System Size Information

Micro Eraser Primary Belt Cleaning System



The Micro Eraser Primary Belt Cleaners are available in a vast array of different sizes to suit all belt widths.

The list below indicates dimensions **only for the most popular belt widths**.

Please contact Kinder Australia for dimensions on the extensive range of other sizes suitable for your specific belt width.

Part Number	A		Min B		Max B		Min. C		Max C	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm	Inches	mm
CP-MEA16M-G83	16	406	25	635	35	889	6.00	152	9.50	241
CP-MEA22M-G83	22	559	22.50	572	41	1041	0.25	6	9.50	241
CP-MEA28M-G83	28	711	28.50	724	47	1194	0.25	6	9.50	241
CP-MEA34M-G83	34	864	34.50	876	53	1346	0.25	6	9.50	241
CP-MEA40M-G83	40	1016	40.50	1029	59	1499	0.25	6	9.50	241
CP-MEA46M-G83	46	1168	46.50	1181	65	1651	0.25	6	9.50	241
CP-MEA52M-G83	52	1321	52.50	1334	71	1803	0.25	6	9.50	241
CP-MEA58M-G83	58	1473	58.50	1486	77	1956	0.25	6	9.50	241

Notes:

- To get minimum B or C, the shaft collars must be removed.
- For short tensioner, subtract 10" (254 mm) from B max. and 5" (127 mm) from C max.
- Standard "in stock" sizes shown above. Other sizes are available from 16" (406 mm) to 72" (1829 mm).



<https://kinder.com.au>

Subject to © Kinder Australia Pty Ltd
Issue: 202102

Kinder Australia Pty Ltd


26 Canterbury Road, Braeside VIC 3195
PO Box 1026, Braeside VIC 3195

☎ +61 3 8587 9111
✉ +61 3 8587 9101

✉ conveyorsolutions@kinder.com.au
ABN: 28 006 489 238

Belt Cleaning System Size Information

Super G – Secondary Belt Cleaning System



The Super G - Secondary Belt Cleaners are available in a vast array of different sizes to suit all belt widths.

The list below indicates dimensions **only for the most popular belt widths**.

Please contact Kinder Australia for dimensions on the extensive range of other sizes suitable for your specific belt width.

Part Number	A		Min. B		Max B		Min. C		Max C		Ship.Weight	
	Inches	(mm)	Inches	(mm)	Inches	(mm)	Inches	(mm)	Inches	(mm)	Lbs	(kg)
CP-ESG16M-G83	16.00	(406)	25.00	(635)	36.00	(914)	4.50	(114)	10.00	(254)	65.50	(30)
CP-ESG22M-G83	22.00	(559)	22.50	(572)	42.00	(1067)	0.25	(6)	10.00	(254)	74.25	(34)
CP-ESG28M-G83	28.00	(711)	28.50	(724)	49.00	(1245)	0.25	(6)	10.00	(254)	83.00	(37)
CP-ESG34M-G83	34.00	(864)	34.50	(876)	55.00	(1397)	0.25	(6)	10.00	(254)	91.50	(41)
CP-REA40M-G83	40.00	(1016)	40.50	(1029)	61.00	(1549)	0.25	(6)	10.00	(254)	100.50	(46)
CP-REA46D-G83	46.00	(1168)	46.50	(1181)	67.00	(1702)	0.25	(6)	10.00	(254)	113.75	(52)
CP-REA52D-G83	52.00	(1321)	52.50	(1334)	73.00	(1854)	0.25	(6)	10.00	(254)	125.25	(57)
CP-REA58D-G83	58.00	(1473)	58.50	(1486)	79.00	(2007)	0.25	(6)	10.00	(254)	134.00	(61)

NOTES:

- To get minimum B or C, the shaft collars must be removed.
- For extended tensioner add 14" (356 mm) to B max. and 7" (178 mm) to C max.
- Standard sizes shown above. Other sizes are available from 16" (406 mm) to 120" (3048 mm).



<https://kinder.com.au>

Subject to © Kinder Australia Pty Ltd
Issue: 202102

Kinder Australia Pty Ltd

26 Canterbury Road, Braeside VIC 3195
PO Box 1026, Braeside VIC 3195


☎ +61 3 8587 9111
📠 +61 3 8587 9101

✉ conveyorsolutions@kinder.com.au
ABN: 28 006 489 238

Belt Cleaning System Size Information

V-Max V-Plow


NOTES: Standard sizes shown.
Other sizes are available from
16" (406 mm) to 96" (2438 mm).



Part Number	A		Min. B		Max B		Min. C		Max C		Ship. Weight	
	Inches	(mm)	Inches	(mm)	Inches	(mm)	Inches	(mm)	Inches	(mm)	Lbs	(kg)
CP-VPA24M-G83	24.00	(610)	30.00	(762)	38.00	(965)	6.00	(152)	10.00	(254)	67.00	(30)
CP-VPA30M-G83	30.00	(762)	36.00	(914)	52.00	(1321)	6.00	(152)	14.00	(356)	73.00	(33)
CP-VPA36M-G83	36.00	(914)	42.00	(1067)	58.00	(1473)	6.00	(152)	14.00	(356)	80.00	(36)
CP-VPA42M-G83	42.00	(1067)	48.00	(1219)	64.00	(1626)	6.00	(152)	14.00	(356)	87.00	(39)
CP-VPA48M-G83	48.00	(1219)	54.00	(1372)	70.00	(1778)	6.00	(152)	14.00	(356)	94.00	(43)
CP-VPA60M-G83	60.00	(1524)	66.00	(1676)	82.00	(2083)	6.00	(152)	14.00	(356)	107.00	(49)
CP-VPA72M-G83	72.00	(1829)	78.00	(1981)	94.00	(2388)	6.00	(152)	14.00	(356)	122.00	(55)

E-Max V-Plow

NOTES: Standard sizes shown.
Other sizes are available from
16" (406 mm) to 72" (1829 mm).



Part Number	A		Min. B		Max B		C		Ship. Weight	
	Inches	(mm)	Inches	(mm)	Inches	(mm)	Inches	(mm)	Lbs	(kg)
CP-EPA24M-G83	24.00	(610)	30.00	(762)	42.00	(1067)	48.00	(1219)	44.00	(20)
CP-EPA30M-G83	30.00	(762)	36.00	(914)	48.00	(1219)	54.00	(1372)	50.00	(23)
CP-EPA36M-G83	36.00	(914)	42.00	(1067)	54.00	(1372)	60.00	(1524)	55.00	(25)
CP-EPA42M-G83	42.00	(1067)	48.00	(1219)	60.00	(1524)	66.00	(1676)	61.00	(28)
CP-EPA48M-G83	48.00	(1219)	54.00	(1372)	66.00	(1676)	72.00	(1829)	66.00	(30)
CP-EPA60M-G83	60.00	(1524)	66.00	(1676)	78.00	(1981)	84.00	(2134)	77.00	(35)
CP-EPA72M-G83	72.00	(1829)	78.00	(1981)	90.00	(2286)	96.00	(2438)	88.00	(40)



Kinder Australia Pty Ltd

26 Canterbury Road, Braeside VIC 3195
PO Box 1026, Braeside VIC 3195

☎ +61 3 8587 9111
☎ +61 3 8587 9101

✉ conveyorsolutions@kinder.com.au

ABN: 28 006 489 238

<https://kinder.com.au>

Subject to © Kinder Australia Pty Ltd

Issue: 202102